




1-855-632-6723

Price list of Accessories

ALL TYPE OF RADIATORS

- Aluminum Reflector 18"x24"

24\$ ea. Or 20\$/ea when 6 and more



Ornated: item # **P4B** Plain: item # **S17B**

-Cleaning brush for radiator, 28" long

15\$ ea.



item # **brush**

-Cast iron Wall brackets kit model J, includes 2 brackets, 1 bride and screws

50\$ ea.



item # **support J**

- Cast iron Wall brackets kit model L, includes 2 brackets, 1 bride and screws

45\$ ea.



item # **support L**

-Holding device «Safety T» :

7\$ ea.



item # **T65**

-Antique rosette 2 inches brass

8\$ ea.



item # **Ros2pobrass**

- Antique rosette 2 inches cast iron

5\$ ea.



item # **Ros2pofer**



1-855-632-6723

HYDRONIC RADIATORS

- **PTFE Sealing tape** full density ¾" x 520", grey

9\$ ea.

item # **teflon**



- **Steel Nipples :**

diameter	length	LH/RH	RH/RH	LH/RH #item	RH/RH#item
1/2 " NPT	2"	7,00 \$	4,00 \$	NIP1/2G-Dx2	NIP1/2D-Dx2
	3"			NIP1/2G-Dx3	NIP1/2D-Dx3
3/4" NPT	2"	8,00 \$	5,00 \$	NIP3/4G-Dx2	NIP3/4D-Dx2
	2½"			NIP3/4G-Dx2.5	NIP3/4D-Dx2.5
	3"			NIP3/4G-Dx3	NIP3/4D-Dx3
1" NPT	2½"	12,00 \$	7,00 \$	NIP1G-Dx2.5	NIP1D-Dx2.5
	3"			NIP1G-Dx3	NIP1D-Dx3
1¼" NPT	3"	15,00 \$	9,00 \$	NIP1.25G-Dx3	NIP1.25D-Dx3

LH= left threads / RH= right threads



- **elbow 90° steel (female/female)**

diameter	F/F	# item
1/2 " NPT	4,00 \$	ELB1/2
3/4" NPT	6,00 \$	ELB3/4
1" NPT	8,00 \$	ELB 1
1¼" NPT	10,00 \$	ELB 1¼

- **Valve Female/Female brass Dahl**

diameter	Price	#item
1/2 " NPT	65 \$	Valve½ 90 F/F
3/4" NPT	70 \$	Valve3/4 90 F/F





1-855-632-6723

HYDRONIC RADIATORS

- Valve Male/Female brass Includes nipple and brass ring Dahl

diameter	straight	#item
1/2 " NPT	55 \$	Valve 1/2 M/F -0- SW
3/4" NPT	65 \$	Valve 3/4 M/F -0- SW



diameter	90°	#item
1/2 " NPT	50 \$	Valve 1/2 M/F 90°SW
3/4" NPT	60 \$	Valve 3/4 M/F 90°SW



- Bleeder 1/8 NPT

4,50 \$ ea.

Item # bleeder1/8



-Push nipples

10\$ ea.

diameter center (inches)	diameter at the end (inches)	# item
2"	1,925	PN2"A
2 1/4"	2,190	PN2 1/4"A
2"	1,937	PN2"B
2"	1,925 / 0,083"	PN2"C
2 1/4"	2,175	PN2 1/4"B
2 1/4"	2,210	PN2 1/4"C





1-855-632-6723

ELECTRIC RADIATORS

- Braided nylon Wire cover

5\$/foot

Black : item# CacheFN

White : item# CacheFB



Non-programmable Thermostat

Aube

Maximum 2500 watts each
Ideal for small space. Dimensions : 5,0 x 3,3 x 1,2 "

Price 29\$;

item # TH401



Programmable Thermostats

Aube

Programmable 7 days
Maximum 4000 watts
Dimensions : 4,9 x 5 x 1,5"

Price 75\$

item # TH106



Aube

Programmable 7 days
Maximum 4000 watts
NB :4 wires cut 2 lines
Dimensions :4,89x 2,76 x 0,91"

Price 95\$

item # TH115-240





1-855-632-6723

ELECTRIC RADIATORS

Wireless Programmable Thermostat

Econnect

Wireless and programmable 7days
Maximum 3000 watts per thermostat ;(can be combined)
Dimensions: Thermostat 5.13 x 3.22 x 1.14" (Relay): 3.03 x 2.49 x 1.28 "
(Antenna): 2.89 x 2.63 x 1"

Kit (thermostat, antenna, relay) : 320\$
Extra relay and antenna: 230\$

item # TH-Econnect
item # TH-rel ant Econnect



Thermostats and Relay

DUO Relay and thermostat 24V (low voltage)



OU



Discrete wire, relay can be combined.

DUO 15A (Max. 15A or 3500w per relay)
Relay Dimensions : 3- 1/32 X 2 -5/8 x 1 -5/8 "

Duo 15A: 183\$
Extra relay Cristal 15A:85\$

item # DUO15A24VA
item # Cristal15A

Or

DUO 25A (Max. 25A or 6000w per relay)
Relay Dimensions : 4X 4- 3/4 X 2-5/8"

Duo 25A: 195\$
Extra Relay Cristal 25A :97\$

item # DUO25A24VA
item # Cristal25A

TRIO Relay, thermostat 24V (low voltage) and web interface



OU



Interface



Web



The low voltage thermostat Sinope TH1400RF allow you to control manually and remotely the heating system. (Sinope web interface required)

TRIO 15A (Max. 15A or 3500w per relay)
Dimensions : 4.8X 2.88X0.5"

TRIO 15A: 273.90\$
Extra Relay Cristal 15A:85\$

item # TRIO15Aweb
item # Cristal15A

Or

TRIO 25A : (Max. 25A or 6000w per relay)
Dimensions : 4.8X 2.88X0.5"

TRIO 25A: 285.90\$
Extra Relay Cristal 25A :97\$

item # TRIO25Aweb
item # Cristal25A