




1-855-632-6723

## Price list of Accessories 2020

# ALL TYPE OF RADIATORS

- **Aluminum Reflector 18"x24"**

24\$ ea. Or 20\$/each when 6 and more



Ornated: item # **P4B** Plain: item # **S17B**

- **Cleaning brush for radiator, 28" long**

15\$ ea.



item # **brush**

- **Cast iron Wall brackets kit model J, includes 2 brackets, 1 bride and screws**

75\$ ea.



item # **support J**

- **Cast iron Wall brackets kit model L, includes 2 brackets, 1 bride and screws**

50\$ ea.



item # **support L**

- **Holding device «Safety T» :**

10\$ ea.



item # **T65**

- **Antique rosette 2 in. brass**

8\$ ea.



item # **Ros2pobrass**

- **Antique rosette 2 in. cast iron**

5\$ ea.



item # **Ros2pofer**



1-855-632-6723

# HYDRONIC RADIATORS

- **PTFE Sealing tape full density 3/4" x 520", grey**

9\$ ea.

item # **teflon**



- **Steel Nipples :**

diameter	length	LH/RH	RH/RH	LH/RH #item	RH/RH#item
1/2 " NPT	2"			<b>NIP1/2G-Dx2</b>	<b>NIP1/2D-Dx2</b>
	3"	8,50 \$	4,00 \$	<b>NIP1/2G-Dx3</b>	<b>NIP1/2D-Dx3</b>
3/4" NPT	2"			<b>NIP3/4G-Dx2</b>	<b>NIP3/4D-Dx2</b>
	2½"			<b>NIP3/4G-Dx2.5</b>	<b>NIP3/4D-Dx2.5</b>
	3"	11,00 \$	5,00 \$	<b>NIP3/4G-Dx3</b>	<b>NIP3/4D-Dx3</b>
1" NPT	2½"			<b>NIP1G-Dx2.5</b>	<b>NIP1D-Dx2.5</b>
	3"	15,00 \$	7,00 \$	<b>NIP1G-Dx3</b>	<b>NIP1D-Dx3</b>
1¼" NPT		5"	3"	<b>NIP1.25G-Dx5</b>	<b>NIP1.25D-Dx3</b>
		20,00 \$	9,00 \$		



LH= left threads / RH= right threads

- **elbow 90° steel (female/female)**

diameter	F/F	# item
1/2 " NPT	4,00 \$	<b>ELB1/2</b>
3/4" NPT	6,00 \$	<b>ELB3/4</b>
1" NPT	8,00 \$	<b>ELB 1</b>
1¼" NPT	10,00 \$	<b>ELB 1¼"</b>



- **Valve Female/Female brass Dahl**

diameter	Price	#item
1/2 " NPT	80 \$	<b>Valve½ 90 F/F</b>
3/4" NPT	85 \$	<b>Valve¾ 90 F/F</b>





1-855-632-6723

# HYDRONIC RADIATORS

- Valve Male/Female brass Includes nipple and brass ring Dahl

diameter	straight	#item
1/2 " NPT	75 \$	Valve 1/2 M/F -0- SW
3/4" NPT	85 \$	Valve 3/4 M/F -0- SW



diameter	90°	#item
1/2 " NPT	80 \$	Valve 1/2 M/F 90°SW
3/4" NPT	85 \$	Valve 3/4 M/F 90°SW



- Bleeder 1/8 NPT

5,50 \$ ea.

Item # bleeder1/8



-Push nipples

2" = 10\$ ea. 2 1/4" = 12\$ ea.

diameter center (inches)	diameter at the end (inches) (tolerance +/- 0.015")	# item
2"	1,925	PN2"A
2 1/4"	2,190	PN2 1/4"A
2"	1,937	PN2"B
2 1/4"	2,175	PN2 1/4"B
2 1/4"	2,210	PN2 1/4"C



-Gasket made of fiber thickness 0.030"

Dimensions

2.625" OD x 1.875" ID

2.825" OD x 2.000" ID

3.250" OD x 2.350" ID

Price: 2.25\$ea.

item: Gasket small

item: Gasket medium

item: Gasket large





1-855-632-6723

# ELECTRIC RADIATORS

- Braided nylon Wire cover

5\$/foot

Black : item# **CacheFN**

White : item# **CacheFB**



## Non-programmable Thermostat

**Aube**

Maximum 2500 watts each  
Ideal for small space. Dimensions : 5,0 x 3,3 x 1,2 "

**Price 45\$;**

**item # TH401**



## Programmable Thermostat

**Aube**

Programmable 7 days  
Maximum 4000 watts  
NB :4 wires cut 2 lines  
Dimensions :4,89x 2,76 x 0,91"

**Price 135\$**

**item # TH115-240**



## Wireless Programmable Thermostat

**Econnect**

Wireless and programmable 7days  
Maximum 3000 watts per thermostat ;(can be combined)  
Dimensions: Thermostat 5.13 x 3.22 x 1.14" (Relay): 3.03 x 2.49 x 1.28 "  
(Antenna): 2.89 x 2.63 x 1"

**Kit (thermostat, antenna, relay) : 340\$**

**Extra relay and antenna: 250\$**

**item # TH-Econnect**

**item # TH-rel ant Econnect**





1-855-632-6723

## Thermostats and Relay

### DUO Relay and thermostat 24V (low voltage) programmable 7days



Discrete wire, relay can be combined

Aube thermostat

**DUO 15A** (Max. 15A or 3500w per relay)  
Relay Dimensions : 3- 1/32 X 2 -5/8 x 1 -5/8 ''

**Duo 15A: 230\$** item # DUO15A24VA

**Extra relay Cristal 15A:95\$** item # Cristal15A

Or

**DUO 25A** (Max. 25A or 6000w per relay)  
Relay Dimensions : 4X 4- 3/4 X 2-5/8''

**Duo 25A: 260\$** item # DUO25A24VA

**Extra Relay Cristal 25A :125\$** item # Cristal25A

### TRIO Relay, thermostat 24V (low voltage) and web interface



The low voltage thermostat Sinope TH1400ZB allow you to control manually and remotely the heating system. (Sinope web interface required)

**Trio 15A** (Max. 15A or 3500w per relay)  
Dimensions : 4.8X 2.88X0.5''

**TRIO 15A: 302\$** item # TRIO15Aweb

**Extra Relay Cristal 15A:95\$** item # Cristal15A


Or

**Trio 25A :** (Max. 25A or 6000w per relay)  
Dimensions : 4.8X 2.88X0.5''

**Trio 25A: 332\$** item # TRIO25Aweb

**Extra Relay Cristal 25A :125\$** item # Cristal25A

### DUO Relay and thermostat TH135-24V (low voltage) non-programmable



Small Aube thermostat 3'' x 3'' home automation compatible  
Discrete wire, relay can be combined.

**DUO 15A** (Max. 15A or 3500w per relay)  
Relay Dimensions : 3- 1/32 X 2 -5/8 x 1 -5/8 ''

**Duo 15A: 175\$** item # DUO15A24VNP

**Extra relay Cristal 15A:95\$** item # Cristal15A

Or

**DUO 25A** (Max. 25A or 6000w per relay)  
Relay Dimensions : 4X 4- 3/4 X 2-5/8''

**Duo 25A: 205\$** item # DUO25A24VNP

**Extra Relay Cristal 25A : 125\$** item # Cristal25A